

4 TAKTNI VANBRODSKI MOTORI

Model	Osovina	Broj cilindara	Obujam (ccm)	Napajanje gorivom	Snaga (kw)	Težina (kg)	Rezervoar (L)	Pokretanje	Power Trim&Tilt	Ručica	Daljinska komanda bočna	Punjenje baterije (DC)	Propeter	MPC kn	MPC gotovina kn
F2.5BMHS	S	1	72	Carb	1.8	17	0.9	M		✓			Alu	7,568	7,190
F2.5BMHL	L	1	72	Carb	1.8	17	0.9	M		✓			Alu	7,674	7,290
F4BMHS	S	1	139	Carb	2.9	27	1.1	M		✓		opc.	Alu	9,147	8,690
F4BMHL	L	1	139	Carb	2.9	28	1.1	M		✓		opc.	Alu	9,253	8,790
F5AMHS	S	1	139	Carb	3.7	27	1.1	M		✓		opc.	Alu	9,989	9,490
F5AMHL	L	1	139	Carb	3.7	28	1.1	M		✓		opc.	Alu	10,095	9,590
F6CMHS	S	1	139	Carb	4.5	27	1.1	M		✓		opc.	Alu	10,411	9,890
F6CMHL	L	1	139	Carb	4.5	28	1.1	M		✓		opc.	Alu	10,516	9,990
F8FMHS	S	2	212	Carb	5.9	40	12	M		✓		opc.	Alu	17,684	16,800
F8FMHL	L	2	212	Carb	5.9	41	12	M		✓		opc.	Alu	18,105	17,200
FT8GMHL	L	2	212	Carb	5.9	43	12	M		✓		opc.	Alu-DT	21,737	20,650
FT8GMHX	X	2	212	Carb	5.9	44	12	M		✓		opc.	Alu-DT	22,211	21,100
FT8GEL	L	2	212	Carb	5.9	44	12	E			✓	✓	Alu-DT	25,474	24,200
FT8GEX	X	2	212	Carb	5.9	45	12	E			✓	✓	Alu-DT	25,789	24,500
FT8GEPL	L	2	212	Carb	5.9	49	12	E	Tilt		✓	✓	Alu-DT	29,053	27,600
F9.9JMHS	S	2	212	Carb	7.3	41	12	M		✓		opc.	Alu	19,789	18,800
F9.9JMHL	L	2	212	Carb	7.3	42	12	M		✓		opc.	Alu	20,211	19,200
F9.9JES	S	2	212	Carb	7.3	42	12	E			✓	✓	Alu	25,474	24,200
F9.9JEL	L	2	212	Carb	7.3	43	12	E			✓	✓	Alu	25,789	24,500
FT9.9LMHL	L	2	212	Carb	7.3	46	12	M		✓		opc.	Alu-DT	24,200	22,990
FT9.9LMHX	X	2	212	Carb	7.3	47	12	M		✓		opc.	Alu-DT	24,684	23,450
FT9.9LEL	L	2	212	Carb	7.3	45	12	E			✓	✓	Alu-DT	27,105	25,750
FT9.9LEX	X	2	212	Carb	7.3	46	12	E			✓	✓	Alu-DT	27,526	26,150
FT9.9LEPL	L	2	212	Carb	7.3	49	12	E	Tilt		✓	✓	Alu-DT	26,684	25,350
F15CMHS	S	2	362	Carb	11.0	51	25	M		✓		opc.	Alu	22,579	21,450
F15CMHL	L	2	362	Carb	11.0	53	25	M		✓		opc.	Alu	22,895	21,750
F15CES	S	2	362	Carb	11.0	52	25	E			✓	✓	Alu	26,632	25,300
F15CEL	L	2	362	Carb	11.0	54	25	E			✓	✓	Alu	26,947	25,600
F15CEHL	L	2	362	Carb	11.0	56	25	E		✓		✓	Alu	26,263	24,950
F15CEPL	L	2	362	Carb	11.0	60	25	E	Tilt		✓	✓	Alu	29,842	28,350
AKCIJA F20BES	S	2	362	Carb	14.7	52	25	E			✓	✓	Alu	28,316	26,900
AKCIJA F20BEL	L	2	362	Carb	14.7	54	25	E			✓	✓	Alu	28,632	27,200
AKCIJA F20BEPS	S	2	362	Carb	14.7	58	25	E	Tilt		✓	✓	Alu	30,947	29,400
AKCIJA F20BEPL	L	2	362	Carb	14.7	60	25	E	Tilt		✓	✓	Alu	31,368	29,800
AKCIJA F20BEHL	L	2	362	Carb	14.7	60	25	E		✓		✓	Alu	28,947	27,500
FT25FETL	L	2	498	Carb	18.4	92	25	E	✓		✓	✓	Alu-DT	46,211	43,900

FT8GEPL, FT9.9LEPL, F15CEPL, F20BEPS, F20BEPL, F20GEPL, F20GEPS posjeduju samo Power Tilt

*Zagreb, 23.01.2020., cijene su informativne, preporučene maloprodajne, podložne promjeni i vrijede do objave novih.

Ostalu dodatnu opremu možete vidjeti na: www.tm-zagreb.hr



YOU YAMAHA MOTOR
FACTORY WARRANTY **3** godine



4 TAKTNI VANBRODSKI MOTORI EFI

**NOVO
NOVO
NOVO
NOVO
NOVO
NOVO
NOVO**

**AKCIJA
AKCIJA**

Model	Osovina	Broj cilindara	Obujam (ccm)	Napajanje gorivom	Snaga (kW)	Težina (kg)	Rezervoar (L)	Pokretanje	Power Trim&Tilt	Ručica	Daljinska komanda bočna	Punjenje baterije (DC)	Digitalna elektronska komanda Drive by wire	LAN Tahometar	LAN Speed&fuel metar	Multi f. LCD 6YC 4.3"	Propeler	MPC kn	MPC gotovina kn
F20GMHS	S	2	432	EFI	14.7	57	25	M		✓		opc.					Alu	27,105	25,750
F20GMHL	L	2	432	EFI	14.7	59	25	M		✓		opc.					Alu	27,421	26,050
F20GWHS	S	2	432	EFI	14.7	60	25	M/E		✓		✓					Alu	29,526	28,050
F20GWHL	L	2	432	EFI	14.7	62	25	M/E		✓		✓					Alu	29,842	28,350
F20GES	S	2	432	EFI	14.7	56	25	E			✓	✓		opc.			Alu	31,158	29,600
F20GEL	L	2	432	EFI	14.7	58	25	E			✓	✓		opc.			Alu	31,474	29,900
F20GEPS	S	2	432	EFI	14.7	61	25	E	Tilt		✓	✓		opc.			Alu	34,368	32,650
F20GEPL	L	2	432	EFI	14.7	63	25	E	Tilt		✓	✓		opc.			Alu	34,684	32,950
F25GMHS	S	2	432	EFI	18.4	57	25	M		✓		opc.					Alu	31,158	29,600
F25GMHL	L	2	432	EFI	18.4	59	25	M		✓		opc.					Alu	31,474	29,900
F25GWHS	S	2	432	EFI	18.4	60	25	M/E		✓		✓					Alu	33,579	31,900
F25GWHL	L	2	432	EFI	18.4	62	25	M/E		✓		✓					Alu	33,895	32,200
F25GES	S	2	432	EFI	18.4	56	25	E			✓	✓		opc.			Alu	35,211	33,450
F25GEL	L	2	432	EFI	18.4	58	25	E			✓	✓		opc.			Alu	35,526	33,750
F25GETL	L	2	432	EFI	18.4	64	25	E	✓		✓	✓		opc.			Alu	39,579	37,600
F30BEHDL	L	3	747	EFI	22.1	102	25	E		✓		✓					Alu	37,884	35,990
F30BETS	S	3	747	EFI	22.1	94	25	E	✓		✓	✓		✓			Alu	44,105	41,900
F30BETL	L	3	747	EFI	22.1	98	25	E	✓		✓	✓		✓			Alu	44,421	42,200
F40FEHDS	S	3	747	EFI	29.4	97	25	E		✓		✓					Alu	44,421	42,200
F40FEHDL	L	3	747	EFI	29.4	102	25	E		✓		✓					Alu	45,211	42,950
F40FEDL	L	3	747	EFI	29.4	102	25	E	✓		✓	✓		✓			Alu	45,211	42,950
F40FETS	S	3	747	EFI	29.4	94	25	E	✓		✓	✓		✓			Alu	48,105	45,700
F40FETL	L	3	747	EFI	29.4	98	25	E	✓		✓	✓		✓			Alu	48,411	45,990
F40HETL	L	4	996	EFI	29.4	110	25	E	✓		✓	✓		✓	✓		Alu	51,042	48,490
F40GETL	L	4	996	EFI	29.4	119	25	E	✓		✓	✓		✓	✓		Alu	59,463	56,490
F50HETL	L	4	996	EFI	36.8	114	25	E	✓		✓	✓		✓	✓		Alu	57,368	54,500
FT50JETL	L	4	996	EFI	36.8	125	25	E	✓		✓	✓		✓	✓		Alu-DT	58,937	55,990
F60FETL	L	4	996	EFI	44.1	114	25	E	✓		✓	✓		✓	✓		Alu	65,474	62,200
FT60GETL	L	4	996	EFI	44.1	125	25	E	✓		✓	✓		✓	✓		Alu-DT	67,895	64,500
FT60GETX	X	4	996	EFI	44.1	127	25	E	✓		✓	✓		✓	✓		Alu-DT	68,158	64,750
F70AETL	L	4	996	EFI	51.5	119	25	E	✓		✓	✓		✓	✓		Alu	73,579	69,900
F70AETX	X	4	996	EFI	51.5	121	25	E	✓		✓	✓		✓	✓		Alu	73,579	69,900
F80DETL	L	4	1,832	EFI	58.8	162	-	E	✓		✓	✓		✓	✓		Alu	77,579	73,700
F80DETX	X	4	1,832	EFI	58.8	166	-	E	✓		✓	✓		✓	✓		Alu	78,053	74,150
F100FETL	L	4	1,832	EFI	73.5	162	-	E	✓		✓	✓		✓	✓		Alu	81,684	77,600
F100FETX	X	4	1,832	EFI	73.5	166	-	E	✓		✓	✓		✓	✓		Alu	84,105	79,900
F115BETL	L	4	1,832	EFI	84.6	173	-	E	✓		✓	✓		✓	✓		Alu	86,947	82,600
F115BETX	X	4	1,832	EFI	84.6	178	-	E	✓		✓	✓		✓	✓		Alu	88,947	84,500
* FL115BETX	X	4	1,832	EFI	84.6	178	-	E	✓		✓	✓		✓	✓		Inox SDS	103,053	97,900
F130AETL	L	4	1,832	EFI	95.6	174	-	E	✓		✓	✓		✓	✓		Alu	92,947	88,300
F130AETX	X	4	1,832	EFI	95.6	178	-	E	✓		✓	✓		✓	✓		Alu	95,368	90,600
* FL150DETL	L	4	2,670	EFI	110.3	222	-	E	✓		✓	✓		✓	✓		Inox SDS	103,474	98,300
FL150DETL	L	4	2,670	EFI	110.3	222	-	E	✓		✓	✓		✓	✓		Inox SDS	115,579	109,800
F150DETX	X	4	2,670	EFI	110.3	227	-	E	✓		✓	✓		✓	✓		Inox SDS	105,158	99,900
* FL150DETX	X	4	2,670	EFI	110.3	227	-	E	✓		✓	✓		✓	✓		Inox SDS	113,158	107,500
F150GETL	L	4	2,785	EFI	110.3	226	-	E	✓			✓	✓			✓	Inox SDS	123,684	117,500
F150GETX	X	4	2,785	EFI	110.3	227	-	E	✓			✓	✓			✓	Inox SDS	124,526	118,300
* FL150GETX	X	4	2,785	EFI	110.3	227	-	E	✓			✓	✓			✓	Inox SDS	124,526	118,300
F175AETL	L	4	2,785	EFI	128.7	224	-	E	✓		✓	✓		✓	✓		Inox SDS	122,947	116,800
F175AETX	X	4	2,785	EFI	128.7	225	-	E	✓		✓	✓		✓	✓		Inox SDS	125,053	118,800
F175CETL	L	4	2,785	EFI	128.7	226	-	E	✓			✓	✓			✓	Inox SDS	133,368	126,700
F175CETX	X	4	2,785	EFI	128.7	227	-	E	✓			✓	✓			✓	Inox SDS	134,211	127,500
* FL175CETX	X	4	2,785	EFI	128.7	227	-	E	✓			✓	✓			✓	Inox SDS	134,211	127,500
F200FETL	L	4	2,785	EFI	147.1	226	-	E	✓		✓	✓		✓	✓		Inox SDS	133,368	126,700
F200FETX	X	4	2,785	EFI	147.1	227	-	E	✓		✓	✓		✓	✓		Inox SDS	133,368	126,700
* FL200FETX	X	4	2,785	EFI	147.1	227	-	E	✓		✓	✓		✓	✓		Inox SDS	137,474	130,600
F200GETL	L	4	2,785	EFI	147.1	226	-	E	✓			✓	✓			✓	Inox SDS	145,579	138,300
F200GETX	X	4	2,785	EFI	147.1	227	-	E	✓			✓	✓			✓	Inox SDS	147,684	140,300
* FL200GETX	X	4	2,785	EFI	147.1	227	-	E	✓			✓	✓			✓	Inox SDS	147,684	140,300
F225BETX	X	V6	3,352	EFI	165.5	283	-	E	✓		✓	✓		✓	✓		Inox SDS	137,474	130,600

F200F i F200G opremljeni su V.C.T. (Variable Camshaft Timing)- sustavom varijabilnog zakretanja bregastih osovine

4 TAKTNI VANBRODSKI MOTORI EFI - V6 V.C.T.

Model	Osovina	Broj cilindara	Obujam (ccm)	Napajanje gorivom	Snaga (kW)	Težina (kg)	Pokretanje	Power Trim&Tilt	Digitarna elektronska komanda Drive by wire	Multifunkcijski LCD 6YC 4,3"	Propeler	MPC kn	MPC gotovina kn
F225FETX	X	6V60°	4169	EFI	165.5	260	E	✓	✓	✓	Inox SDS	177,789	168,900
FL225FETX	X	6V60°	4169	EFI	165.5	260	E	✓	✓	✓	Inox SDS	177,789	168,900
F225FETU	U	6V60°	4169	EFI	165.5	268	E	✓	✓	✓	Inox SDS	182,000	172,900
F250DETX	X	6V60°	4169	EFI	184.0	260	E	✓	✓	✓	Inox SDS	186,211	176,900
FL250DETX	X	6V60°	4169	EFI	184.0	260	E	✓	✓	✓	Inox SDS	186,211	176,900
F250DETU	U	6V60°	4169	EFI	184.0	268	E	✓	✓	✓	Inox SDS	190,000	180,500
FL250DETU	U	6V60°	4169	EFI	184.0	268	E	✓	✓	✓	Inox SDS	190,000	180,500
F300BETX	X	6V60°	4169	EFI	220.7	260	E	✓	✓	✓	Inox SDS	202,000	191,900
FL300BETX	X	6V60°	4169	EFI	220.7	260	E	✓	✓	✓	Inox SDS	194,211	184,500
F300BETU	U	6V60°	4169	EFI	220.7	268	E	✓	✓	✓	Inox SDS	198,842	188,900
FL300BETU	U	6V60°	4169	EFI	220.7	268	E	✓	✓	✓	Inox SDS	198,842	188,900

BIJELI

* Pri dvostrukoj instalaciji motora (od FL115 do FL300) u kompletu se nalazi LCD instrument 6YC 4.3", dupla top komanda (digitalna, elektronska)

ELEKTRIČNI VANBRODSKI MOTORI

Model	Statički potisak (kg)	Napon (V)	Amperaža (A) *	Težina i dužina plovila	Digital Maximizer	Dužina Osovine	MPC kn	MPC gotovina kn
M-12	13,6 kg	12	30	do 680kg/4,2m	NE	762 mm	1,779	1,690
M-18	18,2 kg	12	42	do 900 kg/5.5 m	NE	914 mm	2,621	2,490
M-20	20,4 kg	12	42	do 900 kg/5.5 m	DA	914 mm	3,463	3,290
M-26	25,0 kg	12	50	do 1135 kg/25 kg	DA	914 mm	5,253	4,990
M-32	31,8 kg	24	42	1360-1587 kg/7 m	DA	1067 mm	6,832	6,490
MX-18	18,2 kg	12	42	do 900 kg/5.5 m	DA	914 mm	3,358	3,190
MS-20	20,4 kg	12	42	do 900 kg/5.5 m	DA	914 mm	4,726	4,490

* Izvedba na vodi dok motor radi najvećom brzinom
Garancija na električne vanbrodske motore 1 godina

POJAŠNJENJE:
S = KRATKA OSOVINA
L = DUGA OSOVINA
X = ULTRA DUGA
U = SUPER ULTRA DUGA
FL = MODEL S KONTRA ROTACIJOM
FT = HIGH TRUST-VISOKI POTISAK
M = RUČNO POKRETANJE
E = ELEKTRIČNO POKRETANJE
H = RUČICA ZA UPRAVLJANJE
D = HIDRO AMORTIZER
W = ELEKTRO I RUČNO POKRETANJE
P = POWER TILT I ELEKTRIČNO POKRETANJE
EFI = ELEKTRONSKO UBRIZGAVANJE GORIVA
ALU = ALUMINIJ
ALU-DT = ALUMINIJ "VISOKI POTISAK"
INOX SDS = POLIRANI INOX SDS SERIJA
INOX X SDS = POLIRANI INOX XL SDS SERIJA

ZA MODELE SA MULTIFUNKCIJSKIM BRZINOMJEROM (OSIM DBW) DODATNO SE NAPLAĆUJE SENZOR BRZINE U IZNOSU 600,00 KN S PDV-OM.

INSTRUMENTI LAN multifunkcijski obrtomjer F20G, F25G

1,900 kn

INSTRUMENTI (vrijedi za sve modele od F40F do F200F)

Od instrumenata LAN standardnog okruglog oblika do LCD 6YC 4.3"

3,500 kn

Svi modeli opremljeni elektronskom komandom DBW posjeduju LCD instrument 6YC 4.3"

INSTRUMENTI (vrijedi za modele sa elektronskom komandom, F200G, F225F, F250D, F300B, F300D)

Jednostruka montaža

Od instrumenta LCD 6YC 4.3" do LCD CL7 7"

9,900 kn

Dvostruka montaža

Od instrumenta LCD 6YC 4.3" do LCD CL7 7"

13,000 kn

DALJINSKE KOMANDE (vrijedi za motore od F20G do F200F)

Od standardne bočne komande do top komande sa panel prekidačima i instalacijom

1,000 kn

SET ZA DALJINSKO ZAKLJUČAVANJE MOTORA Y-COP:

2,500.00 kn

Za sve modele koji posjeduju ubrizgavanje goriva (od 20KS naviše) preporuča se upotreba separatora goriva:

do 70KS-780 kn

80-175KS-1.040 kn

175-350KS-1.020 kn

dva motora-1.560 kn

 Ostalu dodatnu opremu možete vidjeti na: www.tm-zagreb.hr

Y U YAMAHA MOTOR FACTORY WARRANTY **3** godine


PRODAJA

SERVIS

ZAGREB
Sibeg Božidara Magovca 54, 01 669 7197
ZAPREŠIĆ
Pro Nautika Zagrebačka 81, Šibice, 098 468 099
SPLIT
Pribudić Borčić Kopilica 9, 021 534 145
Picilo Racing 4. gardijske 33 ,TTTS Split Kamen, 021 325 677
Motonautika Katunarić Hektorovićeve 31, 021 571 666
RIJEKA
InterAdria SC Čikovići 73c, Kastav 051 705 563
L.S. Moto Bulevar oslobođenja 9, 051 403 664
PULA
Motobox Šijanska cesta 4, 052 223 408
Donar Riva 1, 052 219 173
Prestige Yacht Service Pomer 26a, ACI marina Pomer, 052 300 001
ZADAR
AD Mehanika Obala kneza Branimira 8, 023 305 738
Trofej Moto Zagrebačka 92, 023 344 030
DUBROVNIK
Orsan Ivana Zajca 2, 020 436 147
Ravosium A. Hebranga 14 16, 020 312 753
MAKARSKA
Protea (Afrika moto) Put Velikog brda 52, 021 610 016
OSIJEK
Moto plus Ikica Gornjodravska obala 90a, 031 284 707
Allesta Martina Divalta 181, 099 2319 488
VODICE
Pražen Srima I 97, 022 444 660
NOVIGRAD
Nautico Bužinija 32a, 052 758 080
ŠIBENIK
Pribudić Borčić Ivana Meštrovića 20A, 022 340 202
Motonautika VM Zapadna magistrala 8, 022 200 262
MURTER
Motonautika VM Podvrtaje 4, 022 204 543
MALI LOŠINJ
Marine service Kalvarija bb, 098 258 082
NOVI VINODOLSKI
C.M.C. Dubrova 16, 051 792 102
TROGIR
Navala Put Brodograditelja 2a, 021 885 632
KORČULA
Mehanika Nautika Korčula, Aci marina, 020 715 755
PUNAT (KRK)
Brodogradilište Punat Obala 5, 051 654 312
KRK
Marizo Vršanska 26 e, 051 222 555
OMIŠALJ
Nautički centar Liburnija Pušča 132, 051 413 921
CRES
Shark Yacht Service Jadranska obala bb, ACI marina Cres, 051 571 210
STARI GRAD (HVAR)
Apriori Domobranska ulica 31, 091 5316 776

ZAGREB
Sibeg Božidara Magovca 161, 01 669 7197
Sviben d.o.o. Vučak 1B, 01 3435 880
ZAPREŠIĆ
Pro Nautika Zagrebačka 81, Šibice, 098 468 099
SPLIT
Pribudić Borčić Kranjčevićeva 16 24, 021 534 145
Picilo Racing 4. gardijske 33 ,TTTS Split Kamen, 021 325 677
Motonautika Katunarić Hektorovićeve 31, 021 571 666
RIJEKA
InterAdria SC Čikovići 73c, Kastav 051 705 563
L.S. Moto Bulevar oslobođenja 9, 051 273 631
PULA
Moto bike Medulinska 6, 052 353 608
Prestige Yacht Service Pomer 26a, ACI marina Pomer, 052 300 001
ZADAR
AD Mehanika d.o.o. Dinarska 13, 023 305 738
Trofej Moto Zagrebačka 92, 023 344 030
DUBROVNIK
Orsan Ivana Zajca 2, 020 436 147
Lanterna Na rivi 49a, Mokošica, 091 533 5125
MAKARSKA
Protea (Afrika moto) Put Velikog brda 52, 021 678 494
OSIJEK
Moto plus Ikica Južna obilaznica bb, 031 284 707
Allesta Martina Divalta 181, 099 2319 488
VINKOVCI
Bendix H. V. Hrvatinica 40, 032 306 480
VODICE
Pražen Srima I 97, 022 444 660
NOVIGRAD
Nautico Bužinija 32a, 052 758 080
ŠIBENIK
Motonautika VM Zapadna magistrala 8, 022 200 262
MURTER
Motonautika VM Podvrtaje 4, 022 204 543
MALI LOŠINJ
Marine service Kalvarija bb, 098 258 082
NOVI VINODOLSKI
C.M.C. Dubrova 16, 051 792 102
TROGIR
Navala Put Brodograditelja 2a, 021 885 632
KORČULA
Mehanika Nautika Korčula, Aci marina, 020 715 755
PUNAT (KRK)
Brodogradilište Punat Obala 5, 051 654 312
KRK
Marizo Vršanska 26 e, 051 222 555
OMIŠALJ
Nautički centar Liburnija Pušča 132, 051 413 921
CRES
Shark Yacht Service Jadranska obala bb, ACI marina Cres, 051 571 210
STARI GRAD (HVAR)
Apriori Domobranska ulica 31, 091 5316 776

CRES
Shark Yacht Service Jadranska obala bb, ACI marina Cres, 051 571 210
STARI GRAD (HVAR)
Apriori Domobranska ulica 31, 091 5316 776
PAG
NTG Šestan Novalja Braće Radić bb, 098 549 057
PAŠMAN
Komornik Pašman 114, 091 2102 897